§ 180.415 Aluminum tris (*O*-ethylphosphonate); tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide aluminum tris (*O*-ethylphosphonate), including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only aluminum tris (*O*-ethylphosphonate), in or on the commodity.

Commodity	Parts per million
Avocado	25
Banana	3.0
Bushberry subgroup 13B	40
Caneberry subgroup 13A	0.1
Cranberry	0.5
Fruit, citrus, group 10–10	9.0
Fruit, pome, group 11	10
Ginseng	0.1
Hop, dried cones	45
Juneberry	40
Lingonberry	40
Nut, macadamia	0.20
Onion, bulb	0.5
Onion, green	10.0
Pea, succulent	0.3
Pepper/eggplant, subgroup 8–10B [1]	0.01
Pineapple	0.1
Salal	40
Strawberry	75
Tomato	3
Turnip, greens	40
Turnip, roots	15
Vegetable, brassica, leafy, group 5	60
Vegetable, cucurbit, group 9	15
Vegetable, leafy, except brassica, group 4	100

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registration, as defined in §180.1(l), are established for residues of the fungicide aluminum tris (*O*-ethylphosphonate), including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only aluminum tris (*O*-ethylphosphonate), in or on the commodity.

Commodity	Parts per million
Asparagus	0.1
Grape	10

(d) *Indirect or inadvertent residues.* [Reserved]

[64 FR 36801, July 8, 1999, as amended at 64 FR 37875, July 14, 1999; 65 FR 50438, Aug. 18, 2000; 67 FR 55346, Aug. 29, 2002; 68 FR 11335, Mar. 10, 2003; 70 FR 7047, Feb. 10, 2005; 76 FR 23494, Apr. 27, 2011; 80 FR 2320, Jan. 16, 2015; 83 FR 12265, Mar. 21, 2018]

§ 180.416 Ethalfluralin; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide ethalfluralin, including its metabolites and degradates, in or on the commodities in the following table. Compliance with the tolerance levels specified in the following table is to be determined by measuring only the residues of ethalfluralin, *N*-ethyl-*N*-(2-methyl-2-propenyl)-2,6-dinitro-4-(trifluoromethyl)benzenamine.

Commodity	Parts per million
Bean, dry, seed	0.05
Dill, dried leaves	0.05
Dill, fresh leaves	0.05
Peanut	0.05
Pea, dry, seed	0.05
Potato	0.01
Potato [1]	0.05
Rapeseed subgroup 20A	0.05
Soybean	0.05
Sunflower subgroup 20B	0.05
Vegetable, cucurbit, group 9	0.05

[1] This tolerance expires on January 28, 2021.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[49 FR 391, Jan. 4, 1984, as amended at 50 FR 4976, Feb. 5, 1985; 52 FR 11262, Apr. 8, 1987; 62 FR 66014, Dec. 17, 1997; 64 FR 5191, Feb. 3, 1999; 64 FR 54782, Oct. 8, 1999; 66 FR 37598, July 19, 2001; 66 FR 41454, Aug. 8, 2001; 67 FR 2342, Jan. 17, 2002; 67 FR 49617, July 31, 2002; 72 FR 68534, Dec. 5, 2007; 78 FR 40020, July 3, 2013; 85 FR 45341, July 28, 2020]

§ 180.417 Triclopyr; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the herbicide triclopyr, including its metabolites and degradates, in or on the commodities in the table below resulting from the application of the butoxyethyl ester of triclopyr, triethylamine salt of triclopyr, or choline salt of triclopyr.